

HEAT EXCHANGER

Product Code: Heat Exchanger - HE9991

The ViVitro Heat Exchanger allows heating of test fluid with minimal interference of the fluid flow.



- Maintains testing solution to desired temperature $\pm 0.5^{\circ}\text{C}$
- Inlet/Outlet total Pressure drop = 3.8-4.1 mmHg at 7L/m
- Low Pressure drop with minimal interference to the fluid flow
- Test fluid is not exposed to high temperature heating elements
- Easy to disassemble and clean

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise without the prior written permission of the Publisher.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this document, they make no representation or warranties with respect to the accuracy or completeness of the contents of this document and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales material. The advice and strategies contained herein may not be suitable for your situation. Neither the Publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential or other damages.

455 Boleskine Road, Victoria B.C. Canada, V8Z 1E7 | (250) 388-3531
24-26 Blvd. Gay Lussac, Immeuble Energie, 13014 Marseille, France | +33 4 86 68 68 10

info@ViVitroLabs.com | www.ViVitroLabs.com

Copyright © 2023 by ViVitro Labs Inc. All rights reserved.

ViVitro
Labs